

AZAR MINA CERAM

MATERIAL SAFETY DATA SHEET [\[Document title\]](#)



1. COMPANY AND PRODUCT IDENTIFICATION

AZAR MINA CERAM

NO.31,THIRD FLOOR, EJLAS BUILDING.14,NORTH GOLCHIN.OZGOL,TEHRAN,IRAN

Health Emergency: +98 21 22483897 , +98 912 1716229

Product Name: CERAMIC FRIT

Product Type: LEAD FREE CERAMIC FRIT - CODE : AM2301/D-9

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product

Health: 3	0 = Minimal
Flammability: 0	1 = Slight
Reactivity: 0	2 = Moderate
Personal Protection: F (if spraying)	3 = Serious
	4 = Severe

Barium compounds, as BaO	Max 0,5 %
---------------------------------	-----------

Other Information

Frits are produced from the chemical reactions which occur during the high temperature smelting of various raw materials to form a molten glass. This glass is rapidly cooled and then ground to produce powdered frit. The lead listed for this product is incorporated into the glass structure of the frit, chemically reacted in the form of silicates of other essentially insoluble complexes. Exposure to the hazardous ingredients can occur if spray mist is inhaled or glaze ingested and the ingredient dissolves out of the glass. Because of the chemical stability of frit and its resistance to attack by acids or alkali, this is anticipated to occur very slowly. This product contains the following component(s) that require reporting :

3. HAZARDS IDENTIFICATION

COMPONENT PERCENT PRESENT

Lead compounds	Up to 0 – 0.1 % (as PbO)
Barium compounds	Up to 0 - 0.5 % (as BaO)
Cadmium compounds	Up to 0 % (as CdO)

The percent reported is based on the theoretical composition of this frit. While existing in theory, the component(s) mentioned are only present as part of FRIT .

4. FIRST AID MEASURES

Eye Contact: Flush eyes with large amounts of water until irritation subsides. Consult a physician.

Skin Contact: Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.

Inhalation: Move subject to fresh air; if breathing is difficult give oxygen. Consult a physician.

Ingestion: If swallowed, consult a physician. Induce vomiting if prescribed under medical supervision. Never give anything by mouth to an unconscious person

AZAR MINA CERAM

MATERIAL SAFETY DATA SHEET [Document title]



5. FIRE FIGHTING MEASURES

Autoignition Temperature: Nonflammable

Flash Point: Not Applicable

Upper Explosive Limit (%): Not Applicable

Lower Explosive Limit (%): Not Applicable

Extinguisher Media: Product is nonflammable – Use extinguishing media appropriate for surrounding fire

Special Firefighting Procedures: Not Applicable

Fire & Explosion Hazards: Not Applicable

Flame ability : No

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Uncontaminated material may be recovered and re-used. If contaminated scoop, vacuum, or wash into a receptacle for disposal.

7. HANDLING AND STORAGE

Handling: When product in use, do not eat, drink, or smoke. Wash hands immediately after use. Keep sealed. **Keep out of reach of children. Do not use this product if pregnant or contemplating pregnancy.**

Storage: Protect containers against physical damage; store in dry area away from feed and food products.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Respiratory Protection: If spraying, do not inhale mist. Use respirator that is NIOSH approved for sprays and mists.

Ventilation: Local exhaust ventilation recommended

Mechanical (General): Recommended when spraying

Protective Gloves: Not needed for foreseeable conditions of use

Eye Protection: Wear safety glasses with side shields

Other Protective Clothing or Equipment: None needed

Work/Hygienic Practices: Good hygiene practices should be followed. When product in use, do not eat, drink, or smoke. Wash hands immediately after use. Keep sealed. **Keep out of reach of children. Do not use this product if pregnant or contemplating pregnancy.**

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Physical Description:

Crushed Glass. Odorless

pH:

7 - 10

Melting Point:

1300°C

Solubility in Water:

Insoluble

10. STABILITY AND REACTIVITY

Stability:

Stable

Incompatible Materials:

None known

NFPA Reactivity Hazard Class:

0 = Insignificant

Hazardous Decomposition Products:

Avoid fumes when firing

Hazardous Polymerization:

Will not occur

Conditions to Avoid:

Not Known

11. TOXICOLOGICAL INFORMATION

AZAR MINA CERAM

MATERIAL SAFETY DATA SHEET [\[Document title\]](#)



Principal Routes of Absorption: Inhalation and ingestion

Effects of Overexposure: Of primary concern is chronic overexposure to lead and cadmium. Their initial warning properties are poor. Prolonged or repeated inhalation and/or ingestion of lead containing frit dust may result in lead poisoning, with symptoms of weight loss, stomach cramps, loss of coordination and joint and muscle pain. Lead can cause kidney damage and delayed effects involving the blood, gastrointestinal, nervous, and reproductive systems. Excessive exposure to lead dusts during pregnancy can result in neurological disorders in infants.

Metal fumes and/or fluoride containing vapors from firing may cause lung inflammation and injury in terms of hours with symptoms of chest pains, chills, cough, headache, and diarrhea.

Prolonged contact with frit dust can be very irritating to the eyes and/or skin. High dust levels can be irritating to the respiratory tract.

With adequate ventilation, dust control, and good personal hygiene, symptoms of overexposure should not occur. Advise regular medical monitoring of employees by a physician competent in industrial health.

Creation Date:

01/11/2021

Revision Date:

Technical Contact: Senior R&D Specialist

AZAR MINA CERAM

+98 21 22483871 , +98 912 1716229

=98 21 22483871 (Fax)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.